

Page : 1

Revised edition no : 4

Date : 12 / 8 / 2010

Supersedes: 6 / 11 / 2007

DIGRAIN WASPS AND HORNETS DESTROYER

18057





1 IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Trade name : DIGRAIN WASPS AND HORNETS DESTROYER

 Identification of the product
 : Aerosol.

 Use
 : Biocide

 Type of product
 : Insecticide.

 Responsible for placing on the market : LODI

Parc d'Activités des Quatre Routes 35390 GRAND FOUGERAY France

Tel. 0033 (0) 2 99 08 48 59 Email contact: regulatory@lodi.fr

Emergency phone nr : NPIS (National Poison Centre) - Birmingham Unit

[To be called by medical staff or physicians] City Hospital, Birmingham, B18 7QH, UK

Tel: (+44) 121 507 4123

2 HAZARDS IDENTIFICATION

Risk Phrases : Extremely flammable.

- Inhalation : Not expected to present a significant inhalation hazard under anticipated conditions

of normal use.

- Skin contact : Repeated exposure to this material can result in absorption through skin.

- Ingestion : Must not come into contact with food or be consumed.

Environmental hazard : Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

3 COMPOSITION / INFORMATION ON INGREDIENTS

Components / Impurities		: This prod					
Substance name		Contents	CAS No	EC No	Index No		Classification
Permethrin	:	0.25 %	52645-53-1	258-067-9	613-058-00-2		Xn; R20/22 R43 N; R50-53
Tetraméthrine	:	0.24 %	7696-12-0	231-711-6			N; R50-53
Acetone	:	1 to 20 %	67-64-1	200-662-2	606-001-00-8		F; R11 R66 R67 Xi; R36
Butane n-	:	1 70 % Wt/Wt	106-97-8	203-448-7	601-004-00-0		F+; R12
Propan-2-ol	:	1 to 20 %	67-63-0	200-661-7	603-117-00-0		F; R11 R67 Xi; R36
Piperonyle butoxide	:	1 to 25 %	51-03-6				N; R50-53
Propane	:	1 to 5 %	74-98-6	200-827-9	601-003-00-5		F+; R12



Page : 2

Revised edition no : 4

Date : 12 / 8 / 2010

Supersedes: 6 / 11 / 2007

DIGRAIN WASPS AND HORNETS DESTROYER

18057

4 FIRST AID MEASURES

First aid measures

- Inhalation : Assure fresh air breathing.

Remove victim to uncontaminated area.

- Skin contact : Wash skin thoroughly with mild soap and water.

- Eye contact : Rinse immediately with plenty of water. Seek medical attention if ill effect or irritation

develops.

Ingestion unlikely. Rinse mouth.General information : In all case : Obtain medical attention.

5 FIRE-FIGHTING MEASURES

Specific hazards : Vapour mixes readily with air, forming explosive mixtures.

Extinguishing media : Dry powder. Carbon dioxide.

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection.

Special procedures : Use water spray or fog for cooling exposed containers.

Avoid (reject) fire-fighting water to enter environment. Exercise caution when fighting any chemical fire.

6 ACCIDENTAL RELEASE MEASURES

Personal precautions : Equip cleanup crew with proper protection.

Environmental precautions : Notify authorities if product enters sewers or public waters.

Clean up methods : Remove ignition sources. Dilute residues and flush. Waste mixtures containing

propane/butane may not enter into drains or sewers where vapours could

accumulate and ignite.

7 HANDLING AND STORAGE

General : Avoid all unnecessary exposure.

Handling : Handle in accordance with good industrial hygiene and safety procedures. Keep

away from food, drink and animal feeding stuffs.

Storage : Store in dry, cool, well-ventilated area. Use special care to avoid static electric

charges.

Precautions in handling and storage: Keep away from sources of ignition - No Smoking.

Storage - away from : Direct sunlight. Heat sources. Sparks. Open flame.

8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection

- Respiratory protection : No special respiratory protection equipment is recommended under normal

conditions of use with adequate ventilation.

Skin protection : Gloves.Eye protection : Not required.

Industrial hygiene : Provide adequate ventilation to minimize dust and/or vapour concentrations. When

using, do not eat, drink or smoke.

Occupational Exposure Limits : Butane n- : TLV© -TWA [ppm] : 800

Butane n-: OEL (UK)-LTEL [ppm]: 600 Butane n-: OEL (UK)-STEL [ppm]: 750 Butane n-: VME - France [ppm]: 800 Butane n-: MAK - Germany [ppm]: 1000

LODI

Parc d'Activités des Quatre Routes 35390 GRAND FOUGERAY France Tel. 0033 (0) 2 99 08 48 59 Email contact: regulatory@lodi.fr



Page: 3

Revised edition no : 4

Date : 12 / 8 / 2010

Supersedes: 6 / 11 / 2007

DIGRAIN WASPS AND HORNETS DESTROYER

18057

8 EXPOSURE CONTROLS / PERSONAL PROTECTION (continued)

Propane: TLV© -TWA [ppm]: 2500
Propane: MAK - Germany [ppm]: 1000
Acetone: OEL (UK)-LTEL [ppm]: 500
Acetone: OEL (UK)-STEL [ppm]: 1500
Propan-2-ol: OEL (UK)-LTEL [ppm]: 400
Propan-2-ol: OEL (UK)-STEL [ppm]: 500

9 PHYSICAL AND CHEMICAL PROPERTIES

Physical state at 20 ℃ : Compressed gas.

Colour: Yellow.Odour: Lemon.Density: <1</th>Boiling point [$^{\circ}$]: < 35 $^{\circ}$ C

Solubility in water [vol/vol] : Soluble in water with difficulty.

Flash point [°C] : < 0°C

10 STABILITY AND REACTIVITY

Hazardous decomposition products: None under normal conditions.

Hazardous reactions : In use, may form flammable/explosive vapour-air mixture.

Conditions to avoid : Heat. Direct sunlight. Open flame. Sparks.

11 TOXICOLOGICAL INFORMATION

Toxicity information : Contains pyrethroids (permethrin&tetramethrin) After skin contact, cutaneous

sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are a transitory nature (max 24

hours).

Rat oral LD50 [mg/kg] : Permethrin: 430 mg/Kg

Tetramethrin: > 5000 mg/Kg

12 ECOLOGICAL INFORMATION

Ecological effects information: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. Avoid release to the environment.

96 H-LC50 - Rainbow trout [mg/l] : Tetramethrin: 0.0037 mg/L 48 H-LC50 - Daphnia magna [mg/l] : Permethrin: 0.0006 mg/L

13 DISPOSAL CONSIDERATIONS

General : Container under pressure. Do not drill or burn even after use.

WHEN TOTALLY EMPTY, containers are recyclable like any other packing. When not empty dispose of this container at hazardous or special waste collection

point.

Dispose in a safe manner in accordance with local/national regulations.

LODI



Page: 4

Revised edition no : 4

Date : 12 / 8 / 2010

Supersedes: 6 / 11 / 2007

DIGRAIN WASPS AND HORNETS DESTROYER

18057

14 TRANSPORT INFORMATION

Shipping name : UN1950 AEROSOLS, 2.1, 5F, (D)

UN No. : 1950 H.I. nr : --ADR/RID : LQ 2

Combination packagings - Inner packaging: Maximum: 1 I Combination packagings - Package: Maximum: 30 kg

Inner packagings placed in shrink-wrapped or stretch-wrapped trays - Inner

packaging: Maximum contents: 1 I

Inner packagings placed in shrink-wrapped or stretch-wrapped trays - Package

Maximum: 20 kg

Group : F Class : 2

- Proper shipping name : AEROSOLS

15 REGULATORY INFORMATION

- Symbol(s) : F+ : Extremely flammable

N : Dangerous for the environment

- R Phrase(s) : R12 : Extremely flammable.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

- S Phrase(s) : S2 : Keep out of the reach of children.

S23 : Do not breathe spray.

 ${\sf S46}$: If swallowed seek medical advice immediately and show this container or

label.

S51: Use only in well-ventilated areas.

S61: Avoid release to the environment. Refer to special instructions/Safety data

sheets.

Further Phrases : Contains : Permethrin . May produce an allergic reaction.

Contains: Permethrin. May produce an allergic reaction.

Composition: Dangerous substance : Butane n- - Propane - Propan-2-ol - Piperonyle butoxide - Tetraméthrine -

Permethrin

16 OTHER INFORMATION

Recommended uses and restrictions: See product bulletin for detailed information.

List of relevant R phrases (heading 3): R11: Highly flammable.

R12 : Extremely flammable.

R20/22: Harmful by inhalation and if swallowed.

R36: Irritating to eyes.

R43: May cause sensitization by skin contact.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in

the aquatic environment.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

Revision : Revision - See : *
Print date : 12 / 8 / 2010
Further information : None.

This Safety Data Sheet has been established in accordance with the applicable European Directives and applies to all countries that have translated the Directives in their national laws.

The contents and format of this SDS are in accordance with EEC Commission Directive 2001/58EC.

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the

LODI



Page : 5
Revised edition no : 4

Date: 12 / 8 / 2010

Supersedes: 6 / 11 / 2007

DIGRAIN WASPS AND HORNETS DESTROYER

18057

information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document